

Tandus

Modular Carpet Collection

Great
spaces.
Great
work.

Tandus

Tandus, part of Tarkett Group

At Tarkett, we bring together great minds in design to create the flooring that inspires great spaces. From our in-house design team to our broad range of collaborators, we work together to answer the questions, “How can our products contribute to the happiness and well-being of people? How can we help create spaces that are more conscious of the needs of individuals and the planet?” In designing products to answer these questions, we’ve drawn inspiration from an array of experiences as different as each of us. And yet, our designs share a common goal – to create flooring that supports every person’s relationship to themselves, to other people and to the physical space around them.

Modular
Carpet
Collection

Great
spaces.
Great
work.





Hand Craft VERANDA 631110008 Plank 50 x 100 cm Ashlar Installation

TA
BLE
OF
CON
TENTS

4

Novelties

6

Heritage of innovation

8

Shifting to a circular economy

10

Committed to quality

12

Tarkett multi category offer

14

A solid construction

16

Tandus Quick Ship offer

18

2022 workplace trends

24

Tandus Room Visualizer

26

Designer on Demand

28

Customization service

30

Tandus Design Community

32

T-Tag, the “new normal” office

34

Unique Advantages

36

The collection

182

TarkettTAPE™

184

Carpet installation

180

Carpet maintenance

192

15 years warranty

194

Index Collections and Series

196

Disclaimer

The Tandus Modular Carpet Tiles Product Guide is our annual showcase piece for as many products as possible at the time of print. We are constantly updating our styles throughout the year, so please visit our website www.tarkett-asia.com for the most up-to-date products. Photos may not accurately depict colour. Please order samples for product colour.

Novelties

Domino CONCRET 630962006_630962017 Planks 25cmx100cm Herringbone Installation

Degrees Transition MOUSE/PLUM 631059011 Planks 25 x 100cm Vertical Ashlar Installation




Layer ATLANTIS 630982007 CLOUD GRAY630982001



HandCraft CRAFTSHED 631110003



Intrinsic BRUSHLINE 631100006



Inception SCROLL 631094008

Heritage of innovation

A few pick of our innovations, landmarks and awards

1803

Tandus established the import of woven carpet in North America.

1967

Introduced Powerbond®: the industry's first hybrid resilient sheet floorcovering.

1969

First Manufacturer to introduce Modular Carpet to North America.

1988

RS Adhesive Innovation: First "peel and stick" carpet adhesive system.

1994

First carpet closed-loop recycling programme in the USA where old tiles are recycled into ER3® backing made of 100% recycled content.

2004

Introduced Ethos® backing: made from 100% postconsumer recycled PVB.

2005

Open production facility in Suzhou, China: Tandus is the first American carpet manufacturer to set up a production facility in Asia.



2012

Tandus acquired by Tarkett, the worldwide leader in innovative flooring solutions.

2012

Tandus is the first American carpet manufacturer to achieve **Cradle to Cradle® Silver Certification** for **ethos® Modular** tile.

2017

Powerbond celebrates 50th Anniversary with current installations lasting over 50 years.

2020

Tandus Suzhou factory invests into a new backing line to produce non PVC backing with Polyolefin, **Cradle to Cradle® Silver certified**.

Recent Tandus Design Awards

2015

Tandus wins **two Best of NeoCon Awards: Gold in Broadloom Award** with Indent collection and **Silver Modular Award** with Avant.

2016

Tandus wins **two Best of NeoCon Awards: Gold in Broadloom Award** with Open Archive & Over Stitch collections; and the **Best of NeoCon Innovation Awards** with Open Archive, Cache Tweed & Geoknit collections.

2018

Tandus wins **two Best of NeoCon Gold Awards** with Garden Walk and Woven Fringe Collections; and **four HiP Awards**, one winner with Colour Play Collection + Techtonic™ and three honorees with Scale Study Series by Suzanne Tick, SineEffect by Jhane Barnes and Tailored Twist Collection.

2019

Tandus wins the **Best of NeoCon 2019 Gold Award** – Tatami & the **Relfocus Sustainability Innovation Award** in the Design category for ethos Modular Carpet Tile with Omnicoat Technology.



Shifting to
a circular
economy

Tarkett Human-Conscious Design™

Tarkett Human-Conscious Design™ is our commitment to stand with present and future generations. To create flooring and sports surfaces that are good for people and for the planet. And to do it every day.

It's a holistic way of doing business, capable of marrying the specific expectations of each of our customers with the profound challenges of protecting our planet. Working together with our partners, we deliver safer and healthier spaces in which people can reach their full potential.

For over 140 years, we have proudly been undertaking this commitment. We launched our first recycling-focused circular economy initiative in 1957, have raised indoor air quality standards for more than a decade, and excel in researching and designing solutions for diverse environments.

We hold people and the planet at the heart of our operations – and we're dedicated to proving it, day after day.


In the workplace segment, Tarkett is focused on Human Conscious Design which helps people flourish at work through healthier environments where teams collaborate, innovate and drive performance.

We deliver on this through the synergy of 3 key commitments:

Commitment #1: Deep human understanding


Everything we do starts by understanding our customers' needs today and tomorrow. We do this through our Tandus Design Community to ensure these needs are embedded in our design process. And through The Great Indoors platform we want to stimulate dialogue and collaboration on best practice in creating a healthy, thriving 21st century working environment.

<https://www.thegreatindoors.eu>




Commitment #2: Conscious choices. For people and planet

When it comes to people and the planet, we don't consider one without the other. We deliver pioneering solutions that lead to healthier and more sustainable working conditions like our non PVC EcoBase Backing Cradle to Cradle® Silver certified, Ecobond backing including up to 63% recycled content and our Tarkett LVT Collections with ultra-low VOC's for optimal indoor air quality. All our Tandus Collections get the Green Label Plus Certificate proving a good indoor air quality.



Commitment #3: With you. Every step of the way

Trust and dependability define our approach. As we commit to the flawless execution of each and every space, we partner with architects, designers, installers and contractors at all stages of planning, use and recycling. And with local services tailored to diverse clients and communities, we commit to connecting – all the way.



Committed
to quality

Access FELDSPAR 630831005 Plank 25 x 100 cm Herringbone Installation

VOCs and Air Quality

We share your responsibility to protect air quality in new office environments: all our Tandus modular carpets have the Green Label Plus certification which result from our exhaustive efforts to eliminate harmful VOCs in our product design and manufacturing process. Our Tandus modular carpet with PVC backing is also 100% phthalate-free.

Antimicrobials

Tandus modular carpet is designed to deliver maximum protection against mold and mildew without the use of hazardous antimicrobial pesticides, which can be inhaled and create adverse health effects. Using antimicrobial treatment on the carpet will only be temporary and will favor the bacteria resistance in the middle and long term, which is a major public health threat.

We guarantee a 15-year warranty product without relying on unnecessary chemicals.

Stain Resistance

Our carpet benefits from Eco-Ensure technology: a fluorine-free and PFAS – free soil protection to avoid any stains on the carpet. In addition, we recommend to follow the maintenance instructions (*see pages 180-183*) of our carpet tiles and to clean as soon as possible any stains.

Fire Safety

All Tandus modular carpet are tested in independent and certified laboratories to meet Class 1 rating on flammability.

Recycled Content

We have partnered with third party company to recycle empty wine bottles into our Ecobond Backing. Up to 60% of the Ecobond secondary backing is made of recycled materials.

In some Tandus collections, we use the ECONYL® yarn which is made from 100% regenerated nylon including discarded fishing nets. Tarkett supports the Healthy Seas initiative, that aims to remove waste from the sea, in particular fishing nets and recycling them into regenerated yarn.

LEED and WELL

As part of a sustainable, people-friendly flooring solution, our Tandus modular carpet can contribute to both promoting workplace productivity and satisfaction, and achieving sustainable building standards including LEED and WELL:

- Green Label Plus certificate & low TVOC reports for Good Indoor Air quality
- Acoustic report to show how it can contribute to noise reduction
- 100% recyclable carpet tiles
- Recycled Content of Ecobond backing in the framework of our circular economy model
- Tarkett engagement on U.N. Global Compact
- Made in Asia products to limit impact on the environment
- Use of ECONYL® Yarn for some collections, a yarn made from 100% regenerated nylon including discarded fishing nets
- Use Ecobase Backing, Cradle to Cradle Silver Certified



The Healthy Seas initiative: from oceans waste to new carpet.



Please find more information on our sustainable initiatives on:
www.tarkett-asia.com/en_RA/sustainability

Tarkett
multi
category
offer

One-stop
shop

Tarkett is the
one-stop shop
for your workplace
project with +25
LVT collections
available to mix
with our carpet
tiles!

A solid construction




Tricot ZIRCON RED 631002022 Plank 25 x 100 cm Herringbone Installation

Ecoply™ Backing

- Standard for all Tandus modular carpet.
- 100% recyclable.
- 15 years warranty.


Ecobond™ Backing

- Backing option for all Tandus modular carpet.
- Contains up to **63%** recycled content: Tandus Asia has partnered with third party companies to recycle empty wine bottles into recycled materials that we use in our secondary backing of Ecobond.
- 100% recyclable.
- 15 years warranty.



EcoBase™ Backing

- Non-PVC backing with Polyolefin available from 2020!
- Backing option for all Tandus modular carpet
 - Non PVC backing with Polyolefin
 - Cradle to Cradle® Silver certified
 - 100% recyclable
 - 10 years warranty



All our carpet benefits from Eco-Ensure technology: a fluorine-free and PFAS-free soil protection to avoid any stain on the carpet!




Tandus
Quick Ship
offer



Demanding delivery schedules sometimes require floorcoverings on short notice.
We've got the colours, patterns and textures you need – FAST.
Tandus Quick Ship offers products that ship **within 2 business days** from China in a quantity of $\leq 1,000$ sqm per colour-way.


TILES 50cm x 50cm **Ecoply™ Backing**



Degrees Transition SIGNAL GREY / SAND 631058007



Degrees Transition SIGNAL GREY / MOUSE 631058005





Grid CLAY 631034001

Grid AUGEN 631034004

Intrinsic TWILIGHT
631100010

Inception ESSENCE
631094002



Andante PITCH
630242018




Tempo PITCH
630260017

Planks 250 x 100 cm **Ecoply™ Backing**



Globe YELLOWSTONE 630167001




Globe SKANDINAVIA 630167003



Globe ALPS 630167004




Tricot OCEANO 631002006



Tricot TUNDRA 631002026



Tricot FELTING 631002007



Access MAGNETITE 630831002



Linearity DRAGONFLY 630942002

Discover more about our Tandus
modular carpet and Tarkett LVT
Quick Ship offer on our website:
www.tarkett-asia.com

2022 workplace trends


Our Tandus carpet collections are designed around 4 main trends that we identified in new workplace designs. These trends will also be considered for the upcoming collections. Stay Tuned!

Clean Dream



"Less is more" design mantra has been adopted widely to clean and optimize our personal space in the most comfortable and aesthetic way. The quest for balance and lightness has generated a new form of minimalism.

Natural Bond



Our relationship to Nature has grown in intensity from the fear of being disconnected with the outside world. We want to escape urban environments and envision a possibility of nature by bringing the outdoors inside. We crave for the authentic feeling of untouched materials, such as stones, raw bricks and rough concretes, corten steel or untreated woods.

Street Connection



We want to disconnect from a petrified reality and overcome the heavy present situation. We want to share pleasure and freedom of movement with our communities of friends and family. We advocate for a possibility to change whenever we want, and look for modular and reconfigurable organizations of space and life.

Back to Craft



We realize the futility of over-consumption, and value what will become our own production rather than produced by an anonymous industry. We transition from being consumers to being citizens, and on the way we become crafts-men and women to get a better hold on our impact to the planet. We consider this humble move back to the basics as an opportunity for us to invent, create and generate surprises where we felt everything was programmed and planned.

The human hand or the natural defect are visible, and testify of the honest process we consider valuable. Perfection we possess is not an end. It is the way we do things that makes us.



Nature is literally embedded into interior compositions by a priority use of natural materials and of vegetal motifs. The link to outside nature is also paramount with natural light openings, zenithal or large bay windows

Authentic feeling of untouched materials



Natural Bond




Minimalist



Intrinsic
Mundane
631100005




Starfloor Click
Terrazzo
36001008



iD Essential 30
WAHED PINE BEIGE
24707005



Domino
CLOUD GRAY
630962001





Grid
POPPY
631034011

Clean Dream

Harmony comes from being surrounded by soft harmonious shapes, organic in the form and in the flesh of the materials they are made of. Bringing noble materials to higher grounds of sophistication and luxury.



Tandus Room Visualizer



Save time during the design stage!

The texture of the floor plays an important part in the interior design of a building. They can enable you to achieve a stunning interior design experience. As a company we searched for a way to make the carpet design process better and more effective. As a result, we developed the Room Visualizer digital tool. With this tool you can create an excellent visual experience. Simply select the picture matching your project or upload your own picture and install the collection & colour with the installation method that you like the most.

We have produced this tool to give you the opportunity to create visual experiences that inspire people, all based on the latest Tandus carpet designs.

Discover our Room Visualizer:

<https://tarkett-professionals.esignserver3.com/asia/gallery.do>



Designer on Demand


Four hands always work faster than two. That's why we created the Designer on Demand programme, offering free design support during and after normal business hours. Our designer will follow your lead and vision to help you configure a space and create everything from room scene renderings to floor plan designs: everything you need to pull designs together quickly and share them successfully with clients. It's a perfect co-creative relationship that saves you time!

We send you back the floor plan design as well as renderings pictures within 2 working days to be able to present your project to your client!
To submit your request, [Click on this link](#) to download the request form and send it back to asia@tarkett.com.



Possible Design Options:

- ✓ Floor plan
- ✓ 3D view
- ✓ Rendering picture
- ✓ Full pattern repeat






At Tandus we have the possibility to customize and modify our standard products to match your design and transform your design concept into reality.

Examples of customization options are:

- Create a fully customized modular tile
- Change the colour of a yarn
- Change the format

Custom design for a client



NB: the hexagonal shape was cut by installer.

Customization example

Select your carpet and change easily the accent colour for only 60 sqm!



Minimum order = **60 sqm only** if for standard pattern and standard colour yarn
 Samples available **within 2 weeks**
 Production done in **2-4 weeks**

Change of colour!


Our carpet designs made from our library of yarn colours can be customized with the yarn colours of your choice. Select among our +70 standard yarns available and create your unique carpet with minimum order of only **60 sqm!** For non-standard yarns, the minimum order is 1,000 sqm.

Create custom pattern!

Add signature images to your flooring design, such as company logos, school mascots, government seals and more.
 These customized emblems let you use every plane of the interior space to create a unique experience and communicate a client's valuable brand message.


Change of format!

We can easily produce all Tandus modular carpet in 5 formats with minimum order of only 60 sqm per colour per product and without surcharge!



For more information, please visit our website:
www.tarkett-asia.com/en_RA/node/Our-Co-Creation-Services-7594

Tandus Design Community



Creating together

Tarkett believes deeply in the value of collaboration, in bringing together different voices and ideas to create something worth more than the sum of its parts. With the Tandus Design Community we offer a platform where architects, designers and other professional can meet, exchange experiences and knowledge. We organize each year Tandus Design Seminars to discuss about carpet designs, colours and interior designs. The Tandus Design Community makes you part of our design history. To be part of it, please contact your Tarkett representative!






T-Tag,
the “new
normal”
office

T-tag 631088001 / Tricot OCEANO 631002006 Plank 25 x 100 cm Ashlar Installation

Keep your employees and visitors safe with T-Tag, quick and easy carpet tile replacement!

People around the world are still adapting to the ‘new normal’. Flooring has a crucial role to play here as a simple yet effective way of guiding & reminding best practices to employees through various office spaces.

- Ready to dispatch ‘drop-in’ carpet replacement tiles
- Designed with international safety colours: dark blue and yellow
- 8 tufted icons available on 50 x 50 cm tiles
- Available with a MOQ of 1 box, 4 sqm (16 tiles)
- Possibility to mix up to 4 icons into 1 box
- Tandus ECOPLY backing as standard
- Comply with CRI Green Label Plus standard
- 100% recyclable product





Handcraft VERANDA 631108008_Hancraft PAINTER 631108006 Tile 50 x 50 cm

With Tandus Carpet tiles you benefit from Design, Performance & Excellent Service.
Discover our Unique Advantages.

Design

- +50 collections available
- 5 formats available with no surcharge or delay
- New collections launched every quarter
- American designs produced locally
- Inspired by the latest trends in architecture, art, fashion, and interior design
- Co-created with Tandus Design Community
- Designed following Cradle to Cradle principles
- Local sourced yarns to limit the impact on the environment
- International player with global projects
- To coordinate with Tarkett high quality LVT

Performance

- Solution Dyed Nylon for durable colours
- PVC backing for the strongest installation
- Ecobase PVC free backing, Cradle to Cradle Silver certified
- Eco-Ensure technology: a fluorine-free and PFAS-free soil protection to avoid any stain on the carpet!
- The lowest VOC emission of the market
- CRI Green Label Plus certified
- Sound reduction
- Use of Recycled Content in Ecobond backing
- Available reports to win LEED points
- Easy installation & easy maintenance
- 15 years warranty
- 140 years of experience

Service

- Local sales team to support for your projects
- Tarkett one stop shop: we provide Carpet, LVT, Vinyl Rolls, Linoleum, Wood & Laminate for your projects!
- Online Room Visualizer to easily visualize our carpet in 1 click
- Designer on Demand service to provide you room scene renderings & floor plan designs for your project for free!
- Only 60 sqm minimum order to change format or colour of your carpet!
- Infinite customization possibilities
- 15 references always available to ship in only 2 days
- Fast production & delivery leadtime

For more information, please contact us: www.tarkett-asia.com/en_RA/contact-us



Domino **NEW**
Layer **NEW**
Inception **NEW**
Intrinsic **NEW**
Hand Craft **NEW**
Access
Alley
Andante
Andante Pro
Arbor
Assemblage
Bold
Change Up
City Lights
Crochet
Degrees Transition
Elegance
Focus
Globe
Granite
Grid
Illusion
Islands Plus
Leap
Lento
Linearity
Madras

Memory II
Mineral
Patan
Patola
Paved
Sand Plus
Scattering
Sculpted Flannel II
Sense
Shuffle
Sketch
Slant
Sprout
Startle
Stream Plus
Tempo
Terrace
Transcend
Tricot
Trip
Tweed
Wildflower II

THE COLLEC TION



Alley 40 / Element Series / 40 / 62 / 74 /

Arbor 42 / Origin Series / 42 / 68 /

Bold 44

City Lights 46

Domino 48 **NEW** / Domino Layer Series / 48 / 58

Globe 52

Granite / 54 / Geologic Structure Series / 54 / 56 /

Grid / 56 / Geologic Structure Series / 54 / 56 /

Layer 58 **NEW** / Domino Layer Series / 48 / 58

Mineral 62 / Element Series / 40 / 62 / 74 /

Scattering 64 / Visible Lights Series / 64 / 150 /

Sketch 66

Sprout 68 / Origin Series / 42 / 68 /

Terrace 74

Tweed 76 / Element Series / 40 / 62 / 74

ORGANIC



Inspired by the outdoor, this group of carpet collections enhances indoor office spaces through designs that draw on organic, natural landscapes. Created for easy application, and to fit together seamlessly when laid, the carpet tiles and planks appear as a single floor covering. They are also easy to maintain: the yarns combination will easily hide dirt.



Part of Element series (Mineral p. 62, Tweed p. 74), inspired by the natural patterns, Alley replicated the shapes and textures of natural stone pavements of historic villages. Transformed into a unique carpet pattern, Alley brings a total new design concept that enriches the ambiance in any space.




630376


630380



Alley WHITE HOTAN 630376001 / STONE 630376004
Tile 50 x 50 cm Quarter Turn Installation



Construction: Patterned Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 50.4 rows/10 cm
Stitches per length: 36 stitches/10 cm
Total Pile Weight: 576.38 g/m²
Pile Height Average: 3.5 mm
Density Factor: 273.47 kg/m³
Total Product Weight: 3776 g/m² ± 5%




Inspired by raw natural textures, Arbor transformed the real wood grain textures into carpet planks. Part of Origin series (Sprout p. 68), Arbor is the best option to create a warm space, with natural wood look and great acoustic performance.



630431

25 x 100 cm




Arbor MAPLE 630431013



Arbor MAPLE 630431013 Plank 25 x 100 cm Ashlar Installation



WILLOW
001



ASHTREE
002



CHERRY
003



OAK
004



JARRAH
005



ROSEWOOD
006



BEECH
007



IROKO
008



SADDLE OAK
009



TEAK
010



WALNUT
011



JATOBA
012



MAPLE
013



XYLOSMA
014



ROBINIE
015



WENGE
016

Construction: Patterned Loop
Fiber system: 100% ECONYL® Nylon
Dye Method: Solution Dyed
Gauge: 50.4 rows/10 cm
Stitches per length: 45.5 stitches/10 cm
Total Pile Weight: 644.19 g/m²
Pile Height Average: 4 mm
Density Factor: 268.66 kg/m³
Total Product Weight: 3844 g/m² ± 5%



MONOLITHIC



ASHLAR



HERRING
BONE



BRICK



RANDOM




Bold

Culturally and stylistically advanced, Bold is designed to evoke the physical idea of movement and vitality. Bold radically restructures the way we view the floor by giving the illusion of movement against a plane. It's tactile texture varying in intensity from one tile to the next, showing a visual tip shear effect. Bold is the adaptation of Avant collection made in North America.

Bold MAIZE 630153005 Plank 25 x 100 cm Ashlar Installation

Bold

		
630145	630152	630153
50 x 50 cm	66.67 x 66.67 cm	25 x 100 cm




Bold MAGMA 630145009










Bold MAGMA 630153009 / RHINE 630153002 Plank 25 x 100 cm Ashlar Installation



 FOREST 001	 RHINE 002	 SAGE 003	 AVENUE 004
 MAIZE 005	 OBSIDIAN 006	 CARBON 007	 SAPPHIRE 008
 MAGMA 009	 AURORA 010		

Construction: Patterned Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 50.4 rows/10 cm
Stitches per length: 41 stitches/10 cm
Total Pile Weight: 678.09 g/m²
Pile Height Average: 4.5 mm
Density Factor: 250.86 kg/m³
Total Product Weight: 3878 g/m² ± 5%



						
MONOLITHIC	QUARTER TURN	HORIZONTAL ASHLAR	RANDOM	HERRING BONE	GINGHAM	ASHLAR

Bold MAIZE 630153005 / AVENUE 630153004 Plank 25 x 100 cm Herringbone Installation





City Lights SHA 630944010 Tile 50 x 50 cm Vertical Ashlar Installation.




630944

50 x 50 cm



Quick ship




City Lights SIN 630944009 Tile 50 x 50 cm Vertical Ashlar Installation / Starfloor Click Ultimate 55 – Stylish Oak BEIGE 35992002 Plank 17.6 x 121.3 cm Ashlar Installation




City Lights PEN 630944003 Tile 50 x 50 cm Vertical Ashlar Installation




ATH
001




FRA
002




PEN
003




VIE
004




TYO
005



RIO
006




SFO
007



CHI
008



SIN
009



SHA
010

Construction: Patterned Loop

Fiber system: 100% Nylon

Dye Method: Solution Dyed

Gauge: 50.4 rows/10 cm


Stitches per length: 40 stitches/10 cm

Total Pile Weight: 661.14 g/m²

Pile Height Average: 3.8 mm

Density Factor: 288.6 kg/m³

Total Product Weight: 3911 g/m² ± 5%



VERTICAL
ASHLAR



Part of the same series, Domino and Layer Carpet Tile collections were designed from the inspiration of modern and abstract art. The colorful while subtle accent colours reflect the beauty and movements we can see in the paintings of the 20th century. The subtle touch of colours is applied on neutral base carpet in a movement that reminds us the movement of the brush on the paintings.





630954

50 x 50 cm



630962

25 x 100 cm



Domino BLUEPRINT 630962018 Vertical Ashlar
Planks 250x1000mm

Construction: Patterned Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 50.4 rows/10 cm
Stitches per length: 31 stitches/10 cm
Total Pile Weight: 406.9g/m²
Pile Height Average: 3.8 mm
Density Factor: 177.6 kg/m³
Total Product Weight: 3539 g/m² ± 5%



LIGHT CLOUD GRAY
001



LIGHT ASHEN TAN
002




LIGHT SMOKE
003




LIGHT STEEL GRAY
004



LIGHT CHARCOAL
005



LIGHT CONCRET
006




ACCENT ATLANTIS
007



ACCENT POPPY
008



ACENT CITRON
009



ACCENT LIME
010



ACCENT FUCHSIA
011



DARK BLUEPRINT
018



DARK ASHEN TAN
013



DARK SMOKE
014



DARK STEEL GRAY
015



DARK CHARCOAL
016




DARK CONCRET
017



DARK CLOUD GRAY
012



QUARTER
TURN



HORIZONTAL
ASHLAR



VERTICAL
ASHLAR



RANDOM





ASHLAR




HERRING
BONE


Rooted in ancient map-making techniques with structured amorphous patterning, Globe imparts a classic timelessness. Globe provides a fresh take on organics for interiors with a textural surface of cut and un-cut pile. Matte and lustrous fibers add depth while warm and cool neutrals ground this product. Globe is the adaptation of Cartography collection made in North America.


630159



630161


630167











 Quick ship










Globe TENNESSEE 630167005 Plank 25 x 100 cm Herringbone Installation



Globe YELLOWSTONE 630167001 / TENNESSEE 630167005 Plank 25 x 100 cm Herringbone Installation

 YELLOWSTONE 001	 HIMALAYAS 002	 SKANDINAVIA 003	 ALPS 004
 TENNESSEE 005	 ETHIOPIA 006	 BALTIC 007	 BERING STRAIT 008
 APENNINE 009	 BALKAN 010		

Construction: Patterned Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 50.4 rows/10 cm
Stitches per length: 40 stitches/10 cm
Total Pile Weight: 678.09 g/m²
Pile Height Average: 4 mm
Density Factor: 282.79 kg/m³
Total Product Weight: 3878 g/m² ± 5%

 MONOLITHIC	 QUARTER TURN	 HORIZONTAL ASHLAR	 RANDOM	 HERRING BONE	 GINGHAM	 ASHLAR
---	--	---	---	--	--	---







631034

50 x 50 cm



631042

25 x 100 cm




CLAY
001




LOAM
002




ROOTSOIL
003




AUGEN
004




FLINT
005




LUNAR
006




CITRON
007




FLAMING
008



COPPER
009




GOETHITE
010




POPPY
011




HEMATITE
012




OCHRE
013



PORPHYRITIC
014




CORA
015



COBALT
016




ANALCIME
017



EMERALD
018




SHELL
019



AMETHYST
020



FLAGSTONE
021



CYAN
022



VERDIGRIS
023

Construction: Patterned Texture

Fiber system: 100% Nylon

Dye Method: Solution Dyed

Gauge: 47.2 rows/10 cm


Stitches per length: 46 stitches/10 cm

Total Pile Weight: 576.4 g/m²

Pile Height Average: 4.0 mm

Density Factor: 240.39 kg/m³

Total Product Weight: 3826 g/m² ± 5%



VERTICAL
ASHLAR



QUARTER
TURN



HERRING
BONE





631034



631042



Quick ship




CLAY
001



LOAM
002



ROOTSOIL
003




AUGEN
004




FLINT
005




LUNAR
006




CITRON
007




FLAMING
008




COPPER
009




GOETHITE
010




POPPY
011




HEMATITE
012




OCHRE
013




PORPHYRITIC
014



CORA
015



COBALT
016




ANALCIME
017




EMERALD
018




SHELL
019




AMETHYST
020



FLAGSTONE
021




CYAN
022



VERDIGRIS
023

Construction: Patterned Texture
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 47.2 rows/10 cm
Stitches per length: 46 stitches/10 cm
Total Pile Weight: 593.3 g/m²
Pile Height Average: 4.0 mm
Density Factor: 247.46 kg/m³
Total Product Weight: 3843 g/m² ± 5%



VERTICAL
ASHLAR



QUARTER
TURN



HERRING
BONE



Borrowing from natural elements, Layer provide a very natural feeling and biophilic elements into the workplace. Blended seamlessly, Domino and Layer enable mixing hues and textures, they remind us the transitions visible in the natural world. These energetic designs with colorful accents give us the opportunity to visually enrich the space and provide positive energy to our environment!





Layer CHARCOAL 630982005 Layer FUCHSIA 630982011 Planks 50x100cm Horizontal Ashlar Installation



630341

50 x 50 cm



630345

66.67 x 66.67 cm



Layer BLUEPRINT 630982012 | Layer CONCRET 630982006 Planks 250x1000mm Ashlar Installation




Layer ATLANTIS 630982007 CLOUD GRAY 630982001 Planks 250x1000mm Ashlar Installation



CLOUD GRAY 001



ASHEN TAN 002




SMOKE 003



STEEL GRAY 004



CHARCOAL 005



CONCRET 006




ATLANTIS 007



POPPY 008



CITRON 009



LIME 010



FUCHSIA 011



BLUEPRINT 012

Construction: Patterned Loop

Fiber system: 100% Nylon

Dye Method: Solution Dyed

Gauge: 50.4 rows/10 cm


Stitches per length: 31 stitches/10 cm

Total Pile Weight: 406.9g/m²


Pile Height Average: 3.8 mm

Density Factor: 177.6 kg/m³


Total Product Weight: 3539 g/m² ± 5%




QUARTER TURN




HORIZONTAL ASHLAR




VERTICAL ASHLAR



RANDOM



ASHLAR



HERRING BONE

Mineral shows the beauty of a soft stone with a visual reminiscent of slate. The pattern of this fine grained foliated metamorphic rock matches perfectly with the contemporary urban look. This collection is part of Element series (Alley p. 40, Tweed p.74), inspired by natural patterns, with biophilic designs.

630341

50 x 50 cm

630345

66.67 x 66.67 cm



Mineral STONE 630341004 Tile 50 x 50 cm
Random Installation

 WHITE HOTAN 001	 CEDAR 002	 MERCURY 003	 STONE 004
 OAT 005	 MOUSSE 006	 FENCE 007	 LAHAR 008
 ICE BLUE 009	 STORM 010	 MILESTONE 011	 LEGEND 012
 SOD 013	 RUBY 014	 CINERITE 015	 BLANKET 016

Construction: Patterned Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 50.4 rows/10 cm
Stitches per length: 36 stitches/10 cm
Total Pile Weight: 576.38 g/m²
Pile Height Average: 3.5 mm
Density Factor: 273.47 kg/m³
Total Product Weight: 3776 g/m² ± 5%



MONOLITHIC

QUARTER
TURN

HORIZONTAL
ASHLAR

VERTICAL
ASHLAR

RANDOM




Part of the Visible Light collection (Access p. 150), Scattering is a bold organic pattern inspired by the Tyndall effect. This happens when the light is scattered by particles of matter in its path. The beauty of the light coming through the windows is reproduced to create a subtle pattern on the floor, sparkling like a gemstone.

Scattering QUARTZ 630843001 Tile 50 x 50 cm Random Installation

Scattering FELDSPAR 630843005 Tile 50 x 50 cm Random Installation

630843
50 x 50 cm

630845
66.67 x 66.67 cm



Scattering MOONSTONE 630843003



Scattering OBSIDIAN 630843008
Tile 50 x 50 cm Random Installation /
iD inspiration Loose Lay MOUNTAIN OAK
NATURAL 24640003 Plank 121.9 x 22.9 cm
Herringbone Installation

Construction: Patterned Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 50.4 rows/10 cm
Stitches per length: 35.5 stitches/10 cm
Total Pile Weight: 678.09 g/m²
Pile Height Average: 3.5 mm
Density Factor: 321.75 kg/m³
Total Product Weight: 3878 g/m² ± 5%



QUARTZ
001



MAGNETITE
002



MOONSTONE
003



BERYL
004



FELDSPAR
005



CINNABAR
006



BROOKITE
007



OBSIDIAN
008




OPALITE
009



CALCITE
010



QUARTER
TURN



RANDOM

Sketch

Sketch catches the bold hues of irregular slates, transforming an area into a dynamic atmosphere. The pattern presents an intricate study of light vs dark, tone-on-tone and contrasting colours. Sketch is a bold pattern that makes a statement to any room!

Sketch CARVED 630392001 Tile 50 x 50 cm Random Installation



630392

50 x 50 cm



630759

25 x 100 cm




Sketch PLOW 630759004 Plank 25 x 100 cm
Herringbone Installation


Construction: Patterned Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 50.4 rows/10 cm
Stitches per length: 36 stitches/10 cm
Total Pile Weight: 610.28 g/m²
Pile Height Average: 4 mm
Density Factor: 254.52 kg/m³
Total Product Weight: 3810 g/m² ± 5%



Sketch



CARVED
001



ETCHED
002



EPIC
003




PLOW
004



ORACLE
005




FURROW
006



AURA
007



GARDEN
008



CAYENNE
009




MAGIC
010



STIPPLE
011




INGRAIN
012




MONOLITHIC




QUARTER
TURN



HORIZONTAL
ASHLAR



VERTICAL
ASHLAR




RANDOM



MONOLITHIC




ASHLAR



HERRING
BONE



BRICK



RANDOM

Part of the Origin series (Arbor p. 42), Sprout Collection is inspired by fresh meadows in springtime. It reminds us the glistening moss that covered forest grounds and reflects the early sunlight. Sprout brings tranquility and a breeze of positive energy into the workspace by stimulating our senses.

630436


50 x 50 cm

630473

66.67 x 66.67 cm

630435

25 x 100 cm



SAND 001

HARVEST 002

PACKWAY 003

SILVER BEACH 004

PERMAFROST 005

TOPAZ 006

BOULDER 007

GLADE 008

BISON 009

SLEET 010

DENIM 011

MAZARINE 012

VIRIDIS 013

EQUINOX 014

JUBILATION 015

BLAZE 016

Construction: Patterned Loop
Fiber system: 100% ECONYL® Nylon
Dye Method: Solution Dyed
Gauge: 50.4 rows/10 cm
Stitches per length: 40.5 stitches/10 cm
Total Pile Weight: 644.19 g/m²
Pile Height Average: 4.5 mm
Density Factor: 238.32 kg/m³
Total Product Weight: 3844 g/m² ± 5%

MONOLITHIC

QUARTER
TURN

HORIZONTAL
ASHLAR

RANDOM

Inspired by the beautiful landscapes of terraced paddy fields, Terrace collection replicates the high-low contrast of the platforms. The multi-level, high and low loop texture brings energy and structure to collaborative spaces.



Terrace DOURO 630893004 Tile 50 x 50 cm Quarter Turn Installation

630893

50 x 50 cm

630895

66.67 x 66.67 cm



Construction: Patterned Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 50.4 rows/10 cm
Stitches per length: 38.5 stitches/10 cm
Total Pile Weight: 627.24 g/m²
Pile Height Average: 3.5 mm
Density Factor: 297.59 kg/m³
Total Product Weight: 3827 g/m² ± 5%



PISAC
001

PADDY
002

HAMANOURA
003

DOURO
004


MACHU PICCHU
005

BANAUE
006


HANI
007

LONGSHENG
008


SA PA
009




Part of the Element series (Alley p. 40, Mineral p. 62), Tweed brings a distinguished pattern inspired by the well-known traditional British tweed woven fabric. Its near-plain design combines very well with other designs such as Sculpted Flannel II or Wildflower II.



Tweed LEGEND 630359012 Tile 50 x 50 cm
Quarter Turn Installation



Construction: Textured Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 50.4 rows/10 cm
Stitches per length: 36 stitches/10 cm
Total Pile Weight: 576.38 g/m²
Pile Height Average: 3.3 mm
Density Factor: 290.3 kg/m³
Total Product Weight: 3776 g/m² ± 5%



Crochet / 78

Degrees Transition / 82 / Graduation Series / 82 / 144 / 146 / 148 / 172 /

Inception **NEW** XX / Identity series / XX / XX

Intrinsic **NEW** XX / Identity series / XX / XX

Islands Plus 88 / Zen Plus Series / 88 / 90 / 94 /

Hand Craft **NEW** XX

Sand Plus 90 / Zen Plus Series / 88 / 90 / 94 /

Sculpted Flannel II 92

Stream Plus 94 / Zen Plus Series / 88 / 90 / 94 /

Transcend 96

Tricot / 98

Wildflower II 104

SOLID & TEXTURE



These collections will be bring textures & colours to your project! These ranges vary from bold shades to understated neutrals – perfect for adding zoned areas of block colour in office spaces. These ranges can also be combined with many other products to create added interest.



Inspired by haute-couture tweed luxury fashion suits, Crochet bridges the gap between organic handcrafted designs and more rigid geometric patterns. The result is a beautiful juxtaposition between light and shade that adds visual depth and sophistication to the workplace. Crochet's unique, large plank format (50 x 100 cm), together with subtle colours and soft texture, brings luxury to open spaces. Crochet is the adaptation of Marled Tweed collection from North America.






631011


50 x 100 cm



Quick ship



Crochet IBIZA 631011007




GRITS
001



NOIR
002



VUVUZELA
003



FELTED
004



Crochet MOSS 631011005 Plank 50 x 100 cm
Vertical Ashlar Installation



MOSS
005



BARK
006



IBIZA
007



SOLSTICE
008

Construction: Textured Loop

Fiber system: 100% Nylon

Dye Method: Solution Dyed

Gauge: 50.4 rows/10 cm

Stitches per length: 35 stitches/10 cm

Total Pile Weight: 728.95 g/m²

Pile Height Average: 3.9 mm

Density Factor: 309.95 kg/m³

Total Product Weight: 3879 g/m² ± 5%



ASHLAR



Degrees Transition introduces gradation and movement to the floor thanks to the combination of two contrasting colours into one carpet tile.

The colours have been selected for their complementarity. This inspirational collection enables to create unique layout and divide the different areas of the space by playing with the colours gradations. In addition, the high and low loops in the pattern bring comfort and soft feeling to the workplace.

A stunning addition to our famous Graduation Series. This collection can be used mixed with 1 Degree (p. 144), 2 Degrees (p. 146), 5 Degrees (p.148) or X Degrees (p. 172)!





Degrees Transition MOUSE & CAPRI 631058012 Tile 50 x 50 cm Horizontal Ashlar Installation



631058

50 x 50 cm









631059

25 x 100 cm



Quick ship



Degrees Transition SIGNAL GREY & AQUA
631058001 / SIGNAL GREY & TUXEDO 631058004
/ SIGNAL GREY & SAND 631058007
Tile 50 x 50 cm Random Installation

More colours >>>

Construction: Patterned Loop

Fiber system: 100% Nylon

Dye Method: Solution Dyed

Gauge: 39.4 rows/10 cm

Stitches per length: 40 stitches/10 cm

Total Pile Weight: 559.4 g/m²


Pile Height Average: 4.0 mm

Density Factor: 233.2 kg /m³

Total Product Weight: 3709 g/m² ± 5%



QUARTER
TURN



HORIZONTAL
ASHLAR



RANDOM





HERRING
BONE






ASHLAR





<<< More colours

Construction: Patterned Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 39.4 rows/10 cm
Stitches per length: 40 stitches/10 cm
Total Pile Weight: 559.4 g/m²
Pile Height Average: 4.0 mm
Density Factor: 233.2 kg /m³
Total Product Weight: 3709 g/m² ± 5%



Inspired by the principles of essentialism, Intrinsic offers a simple, straightforward design that will serve as the perfect versatile canvas. The pattern installs beautifully without seams or other visual distractions, making it a staple for any interior space, from small, enclosed offices to large, open lobbies. Pair Intrinsic with Inception, another coordinating pattern from the Identity Series.




631100

50 x 50 cm



631102

50 x 100 cm



Intrinsic BRUSHLINE 631100006 Tiles 50 x 50 Cm



Intrinsic Twillight 631100010 tiles 500 x 500 mm
Vertical Ashlar



BLOCK
001



ESSENCE
002



SKYLIGHTS
003



SPHERE
004



MUNDANE
005



BRUSHLINE
006



NATURALISTIC
007



SCROLLS
008




ISLE
009



TWILIGHT
010

Construction: Patterned Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 50.4 rows/10 cm
Stitches per length: 36 stitches/10 cm
Total Pile Weight: 644.2 g/m²
Pile Height Average: 4.0 mm
Density Factor: 268.7 kg/m³
Total Product Weight: 3876 g/m² ± 5%



VERTICAL
ASHLAR



ASHLAR



HERRING
BONE



Inspired by the principles of essentialism, Identity Series reflects the societal movement toward mindfulness and simplification for holistic wellbeing. Inception is one of the coordinating patterns in the collection. This large-scale geometry dissolves into its ground texture as this comfortable, familiar, argyle-like feel welcomes you in.



631094

50 x 50 cm



631096

50 x 100 cm



Inception Scroll 631094008



Inception BLOCK 631094001
Tile 50 x 50 cm Ashlar Installation



BLOCK
001



ESSENCE
002



SKYLIGHTS
003



SPHERE
004



MUNDANE
005



BRUSHLINE
006




NATURALISTIC
007



SCROLLS
008

Construction: Patterned Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 50.4 rows/10 cm
Stitches per length: 37.5 stitches/10 cm
Total Pile Weight: 559.4 g/m²
Pile Height Average: 4.0 mm
Density Factor: 233.3 kg/m³
Total Product Weight: 3691 g/m² ± 5%



VERTICAL
ASHLAR



ASHLAR



HERRING
BONE




Inspired by the Japanese sand garden, the organic designs of Zen Plus series (Sand Plus p. 90, Stream Plus p. 94) set the tone for a calm and reflective atmosphere. It creates a peaceful environment for better concentration in workspaces. The organic texture and high and low loops of Islands Plus allows every tile to have a gentle curve that effortlessly changes direction.



630885

50 x 50 cm



Island Plus DAISEN-IN 630885014



Island Plus SHISHI-ODOSHI 630885002
Tile 50 x 50 cm Mirror Installation



SHISHI-ODOSHI
002



RYOAN-JI
013



DAISEN-IN
014



KARE-SANSUI
015



NOBEDAN
016




SOTOROJI
017



SUIKINKUTSU
018



TSURIBORI
019



HIMAWARI
020



KINGYOSOU
021

Construction: Patterned Texture

Fiber system: 100% Nylon

Dye Method: Solution Dyed

Gauge: 39.4 rows/10 cm

Stitches per length: 46 stitches/10 cm

Total Pile Weight: 559.43 g/m²

Pile Height Average: 4 mm

Density Factor: 233.32 kg/m³

Total Product Weight: 3759 g/m² ± 5%




MIRROR



QUARTER
TURN




HORIZONTAL
ASHLAR



RANDOM



In this highly digitized age, Hand Craft celebrates the tactile feel of holding a vintage book in one's hands and turning its beautifully weathered pages. Through crisp pattern detail, color contrast and lustre variation, this complementary pattern references the skills and techniques of book binding and impart the handcrafted patinas of early




Handcraft SHED 631112003 PLANKS
250x1000 mm Herringbone Installation



HandCraft SHADOW 631112004 ARBOR 65 3111200
Plank 250 x 1000 mm Ashlar Installation



Construction: Patterned Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 50.4 rows/10 cm
Stitches per length: 40 stitches/10 cm
Total Pile Weight: 695.0 g/m²
Pile Height Average: 4.8 mm
Density Factor: 240.8 kg/m³
Total Product Weight: 3927 g/m² ± 5%



Part of the Zen Plus series (Islands Plus p. 88, Stream Plus p. 94), Sand Plus creates the illusion of being in a Japanese Zen garden with gravel and sand. The collection presents a diagonal high and low pattern allowing a calm and reflective atmosphere.



Sand Plus NOBEDAN 630875016 Tile 50 x 50 cm Random Installation

		
630875	630877	630883
50 x 50 cm	66.67 x 66.67 cm	25 x 100 cm




Sand Plus SHISHI-ODOSHI 630875002 Tile 50 x 50 cm Quarter Turn Installation



Sand Plus SOTOROJI 630875017 Tile 50 x 50 cm Custom Installation



Construction: Patterned Texture
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 39.4 rows/10 cm
Stitches per length: 46 stitches/10 cm
Total Pile Weight: 559.43 g/m²
Pile Height Average: 4 mm
Density Factor: 233.32 kg/m³
Total Product Weight: 3759 g/m² ± 5%



Sculpted Flannel II

Sculpted Flannel II design incorporates the classic “twill” structure into the surface texture. With a seamless visual effect, Sculpted Flannel II creates a subtle yet luxurious look and feel. The twelve neutral tones have been designed for contemporary workplace.

Sculpted Flannel II

630411

50 x 50 cm

630414

66.67 x 66.67 cm



 CORN SILK 001	 MULTIGRAIN 002	 HARVEST 003	 PALE STONE 004
 CLIFF 005	 BARLEY 006	 GREY EMBERS 007	 MORNING FOG 008
 MOUNTAIN SPRING 009	 FORGE 010	 WALNUT 011	 BLACK LAVA 012

Construction: Textured Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 39.4 rows/10 cm
Stitches per length: 39 stitches/10 cm
Total Pile Weight: 542.47 g/m²
Pile Height Average: 4 mm
Density Factor: 226.26 kg/m³
Total Product Weight: 3742 g/m² ± 5%

MONOLITHIC

QUARTER
TURN

HORIZONTAL
ASHLAR

RANDOM



The third collection of Zen Plus series (Islands Plus p. 88, Sand Plus p. 90) is a striped texture depicting a linear path in a Japanese Zen Garden. The texture of this collection invites to comfort and calm areas in workplaces.



630855

50 x 50 cm



630863

25 x 100 cm



Stream Plus NOBEDAN 630855016



Stream Plus SHISHI-ODOSHI 630855002
Tile 50 x 50 cm Ashlar Installation

Construction: Patterned Texture

Fiber system: 100% Nylon

Dye Method: Solution Dyed

Gauge: 39.4 rows/10 cm

Stitches per length: 46 stitches/10 cm

Total Pile Weight: 559.43 g/m²

Pile Height Average: 4 mm

Density Factor: 233.32 kg/m³

Total Product Weight: 3759 g/m² ± 5%



SHISHI-ODOSHI
002



RYOAN-JI
013



DAISEN-IN
014



KARE-SANSUI
015



NOBEDAN
016



SOTOROJI
017



SUIKINKUTSU
018



TSURIBORI
019




HIMAWARI
020




KINGYOSOU
021



QUARTER
TURN



HORIZONTAL
ASHLAR



RANDOM



HERRING
BONE



ASHLAR

Transcend is inspired by the Neo-minimalism art movement. Muted lines, shiny metallic yarn with vivid accent add up a playful visual effect. Transcend conveys a classic timelessness. This collection is the adaptation of Elysian collection from North America.

Transcend TOAST 630841005 Plank 25 x 100 cm Ashlar Installation

Transcend AMETHYST 630841007 / GRAPHITE 630841008 Plank 25 x 100 cm Herringbone Installation

630823

50 x 50 cm

630825

66.67 x 66.67 cm

630841

25 x 100 cm



Transcend GRAPHITE 630841008 Plank 25 x 100 cm Ashlar Installation



Transcend CLOUD 630841001 / PORPOISE 630841006 Plank 25 x 100 cm Ashlar Installation

CLOUD 001

FOSSIL 002

SHADOW 003

KHAKI 004

TOAST 005

PORPOISE 006

AMETHYST 007

GRAPHITE 008

Construction: Patterned Texture
Fiber system: 100% ECONYL® Nylon
Dye Method: Solution Dyed
Gauge: 50.4 rows/10 cm
Stitches per length: 36 stitches/10 cm
Total Pile Weight: 593.33 g/m²
Pile Height Average: 4 mm
Density Factor: 247.46 kg/m³
Total Product Weight: 3993 g/m² ± 5%



MONOLITHIC

QUARTER TURN

HORIZONTAL ASHLAR

VERTICAL ASHLAR

HERRING BONE

GINGHAM


ASHLAR



Inspired by the famous luxurious French knit fabrics with the black and white as base colours, Tricot's tightly detailed chenille offers a virtually seamless visual. Available in 27 colours, it is a modern-day classic suitable for any interior spaces. Tricot is the adaptation of Geoknit collection made in North America.







630994
50 x 50 cm




630996
66.67 x 66.67 cm



631002
25 x 100 cm

 Quick ship



BOBBIN
001


CAMEO
002

ALMOND
003

FAILLE
004

LEAVES
005

OCEANO
006



FELTING
007

SATURATED
008

LOAM
009


FIELDS
010

LINING
011


ASPARAGUS
012

More colours >>>


Construction: Textured Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 50.4 rows/10 cm
Stitches per length: 33 stitches/10 cm
Total Pile Weight: 644.19 g/m²
Pile Height Average: 3.8 mm
Density Factor: 281.2 kg/m³
Total Product Weight: 3894 g/m² ± 5%




HORIZONTAL
ASHLAR



VERTICAL
ASHLAR






HERRING
BONE




ASHLAR





<<< More colours


Construction: Textured Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 50.4 rows/10 cm
Stitches per length: 33 stitches/10 cm
Total Pile Weight: 644.19 g/m²
Pile Height Average: 3.8 mm
Density Factor: 281.2 kg/m³
Total Product Weight: 3894 g/m² ± 5%























Wildflower II

48 rich, lively and vibrant accents colours, Wildflower II offers one of the widest accent colour bank in the market to spice up your floorplan. Use Wildflower II to create colour accents that “pop” out, such as a contrasting border or different zoning. If you need a specific colour, we can also create a custom colour for your project. Bring colour to your floor!

Wildflower II






		
630132	630232	630234
50 x 50 cm	66.67 x 66.67 cm	25 x 100 cm



 BEECH 001	 BIRCH 002	 WHEAT 003	 BARLEY 004
 BANYAN 005	 ASH 006	 POPLAR 007	 WALNUT 008
 NERIUM 009	 ALPINE 010	 MULBERRY 011	 HEMLOCK 012
 ECRU OLIVE 013	 AVOCADO 014	 PALISANDER 015	 BILOBA 016
 LARCH 017	 HOLLY 018	 CAMPBOR TREE 019	 EBONY 020


More colours >>>

Construction: Textured Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 50.4 rows/10 cm
Stitches per length: 37 stitches/10 cm
Total Pile Weight: 576.38 g/m²
Pile Height Average: 4 mm
Density Factor: 240.39 kg/m³
Total Product Weight: 3776 g/m² ± 5%

				
MONOLITHIC	QUARTER TURN	MONOLITHIC	ASHLAR	HERRING BONE




Wildflower II



<<< More colours

Construction: Textured Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 50.4 rows/10 cm
Stitches per length: 37 stitches/10 cm
Total Pile Weight: 576.38 g/m²
Pile Height Average: 4 mm
Density Factor: 240.39 kg/m³
Total Product Weight: 3776 g/m² ± 5%



Wildflower II



Wildflower II BANYAN 630132005 / ECRU OLIVE 630132013 / DAFFODIL 630132026 / COOL MINT 630132029 / GREEN PEONY 630132030 / GENTIAN 630132031 / SPEEDWELL 630132032 / BLUE BONNET 630132033 / NIGELLA 630132034 / FIR 630132035 / GREEN BRIER 630132036
Tile 50 x 50 cm Monolithic Installation

Focus 112 / Mosaic Series / 112 / 114 /

Illusion 114 / Mosaic Series / 112 / 114 /

Lento 116 / Rhythms Series / 116 / 152 / 168 /

Linearity 118

Madras 120 / Plaids Series / 120 / 126 / 162 /

Memory II 122

Patola 126 / Plaids Series / 120 / 126 / 162 /

Paved / 128

Slant 134 / Supergraphic Series / 132 / 134 / 166 /

Startle 136 / Jaunt Series / 136 / 60 / 170 /

GEO ME TRIC

Combining elegant geometric designs, this group of collections provides the perfect solution for one-of-a-kind projects that require a touch of luxury and an in-depth narrative. These graphic patterns will underlay the unicity of the space from boardrooms to receptions and break areas.



Assemblage

Assemblage’s inspiration comes from our nostalgia for handmade craftsmanship with its textural, hand-stitched look of familiar, comfortable crochet and needlepoint. The vast random pattern displays the tip-sheared textural effect. It is an artistic design with luxury feel! Assemblage is an American design, also known under the Breakout collection made in North America.

Assemblage ZIRCON 630114003 Tile 50 X 50 cm Monolithic Installation

Assemblage

630114

50 x 50 cm

630116

66.67 x 66.67 cm



Assemblage INK 630116006 Tile 66.67 x 66.67 cm Monolithic Installation



Assemblage ZIRCON 630114003 / CADETBLUE 630114005 Tile 50 x 50 cm Random Installation

TAURUS
001

SORREL
002

ZIRCON
003

CLAY
004

CADETBBLUE
005

INK
006

HENNA
007

LIME
008

Construction: Patterned Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 50.4 rows/10 cm
Stitches per length: 46 stitches/10 cm
Total Pile Weight: 576.38 g/m²
Pile Height Average: 4.5 mm
Density Factor: 213.23 kg/m³
Total Product Weight: 3776 g/m² ± 5%



MONOLITHIC

QUARTER
TURN

HORIZONTAL
ASHLAR

RANDOM




Inspired by the ancient art of mosaic decoration (Illusion p. 114), Focus Collection reminds the meticulously crafted materials with tiny glass, stone or shell pieces. Its two-tone effect transforms the floor surface into visual images that both galvanize and astonish.



Focus FLAX 630315004 / WALNUT 630315006 Tile 50 x 50 cm Random Installation

630315
50 x 50 cm

630319
66.67 x 66.67 cm



Focus OCEAN BLUE 630315008 Tile 50 x 50 cm Monolithic Installation



Focus WALNUT 630315006 / MAIZE 630315005 / SWORD 630315007 Tile 50 x 50 cm Monolithic Installation

IVORY
001

MISTY GERY
002

BLACK SESAME
003

FLAX
004

MAIZE
005

WALNUT
006

SWORD
007

OCEAN BLUE
008

ROSEFINCH
009

Construction: Patterned Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 50.4 rows/10 cm
Stitches per length: 36 stitches/10 cm
Total Pile Weight: 576.38 g/m²
Pile Height Average: 3.3 mm
Density Factor: 290.3 kg/m³
Total Product Weight: 3776 g/m² ± 5%



MONOLITHIC


QUARTER
TURN

HORIZONTAL
ASHLAR

VERTICAL
ASHLAR

RANDOM






Part of Mosaic series (Focus p. 112), Illusion collection is inspired by the ancient mosaic art of decorating floors. Featuring subtle colour variations and contrasts, Illusion plays with light and shadow, making art part of the everyday life. Create a space that reflects class and style, mirroring stunning Mosaic floor.

630327
50 x 50 cm

630331
66.67 x 66.67 cm



Illusion IVORY 630327001 Tile 50 x 50 cm
Vertical Ashlar Installation

IVORY
001

MISTY GERY
002

BLACK SESAME
003

FLAX
004

MAIZE
005


WALNUT
006

ROSEFINCH
009

SWORD
007

OCEAN BLUE
008

Construction: Patterned Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 50.4 rows/10 cm
Stitches per length: 36 stitches/10 cm
Total Pile Weight: 576.38 g/m²
Pile Height Average: 3.3 mm
Density Factor: 290.3 kg/m³
Total Product Weight: 3776 g/m² ± 5%



Geometric layering elements, Lento explores the movement marked by the speed of strong and soft elements within a space, echoing the rhythms of a slower pace. Mix and match with other collections from Rhythms series: Andante (p. 152) and Tempo (p. 168) to create unique design with similar shades, imparting a simple, classic beauty.



630251

50 x 50 cm




Lento PITCH 630251006 Tile 50 x 50 cm
Quarter Turn Installation



SOUND
001



MOVEMENT
003



MEASURE
005




PITCH
006



SYMPHONY
007



SYNCOPATE
008




HYPERBEATS
009



SPEED
011



PACE
012



PERCUSSION
013



FIRENOTE
014



DRUM
015



VERSE
016



METER
017



MOTION
018


Construction: Patterned Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 47.2 rows/10 cm
Stitches per length: 33.5 stitches/10 cm
Total Pile Weight: 474.66 g/m²
Pile Height Average: 3.3 mm
Density Factor: 244.2 kg/m³
Total Product Weight: 3692 g/m² ± 5%




MONOLITHIC



QUARTER
TURN



HORIZONTAL
ASHLAR



RANDOM

A beautiful geometric pattern, inspired by the Supertree’s steel branches in the Gardens by the Bay in Singapore. Linearity collection perfectly combines geometry and texture. This vibrant two-tone linear pattern is declined on 15 colours that would suit various designs.








630942

25 x 100 cm



Quick ship



Construction: Patterned Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 47.2 rows/10 cm
Stitches per length: 37.5 stitches/10 cm
Total Pile Weight: 440.76 g/m²
Pile Height Average: 3.8 mm
Density Factor: 192.4 kg/m³
Total Product Weight: 3541 g/m² ± 5%



HERRING BONE



ASHLAR



Part of the Plaids Series (Patola p. 126, Patan p. 162), Madras is inspired by the traditional tartan pattern. Madras collection is constructed like a plaid, with layers of horizontal and vertical elements, creating a larger design expression. Madras pattern displays these undulating verticals cut by randomized horizontal elements.



WOVENS
001

CRISSCROSS
002

WARP
003

WEFT
004

WOOL
005

TATTERSALL
006

FLANNEL
007

COLORFAST
008

TWILL
009

GINGHAM
010

FABRIC
011


CHECKER
012

PATCHWORK
013

TARTAN
014

CLOTH
015

Construction: Patterned Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 50.4 rows/10 cm
Stitches per length: 39 stitches/10 cm
Total Pile Weight: 356 g/m²
Pile Height Average: 3.2 mm
Density Factor: 185 kg/m³
Total Product Weight: 3556 g/m² ± 5%



Memory II

Inspired by the architecture of modern city rectangular facades and skyscrapers, Memory II's high and low loop tufts create an elegant textural appearance. This design generates a sense of rhythm that breaks up visual monotony, ideal for modern offices. The rectangular pattern is ideal for corridors as the lined-up in one direction indicates a path.

Memory II SENSIBLE 630793001 Tile 50 x 50 cm Horizontal Ashlar Installation

Memory II FUNCTION 630793010 Tile 50 x 50 cm Horizontal Ashlar Installation

Memory II


630793	630795	630801	630799
50 x 50 cm	66.67 x 66.67 cm	25 x 100 cm	50 x 100 cm




Memory II Stark 630793018 Tile 50 x 50 cm Horizontal Ashlar Installation



Memory II FUNCTION 630793010 Tile 50 x 50 cm Horizontal Ashlar Installation



Construction: Patterned Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 39.4 rows/10 cm
Stitches per length: 39.5 stitches/10 cm
Total Pile Weight: 508.57 g/m²
Pile Height Average: 4 mm
Density Factor: 212.08 kg/m³
Total Product Weight: 3709 g/m² ± 5%



Part of the Plaids Series (Madras p. 120, Patan p. 162), Patola’s steady rhythm of horizontal elements interjects along a shifting vertical gradation. Patola is not merely about the reinvention of the iconic fabric in carpet tile, it highlights its horizontal and vertical layers.




Patola CLOTH 630361015 Tile 50 x 50 cm Horizontal Ashlar Installation

630361


50 x 50 cm

630364


66.67 x 66.67 cm



Patola TATTERALL 630361006 Tile 50 x 50 cm
Quarter Turn Installation



Construction: Patterned Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 50.4 rows/10 cm
Stitches per length: 39 stitches/10 cm
Total Pile Weight: 339.05 g/m²
Pile Height Average: 3.2 mm
Density Factor: 176.19 kg/m³
Total Product Weight: 3539 g/m² ± 5%





Paved FLAKE GREY 631054004 Tile 50 x 50 cm Vertical Ashlar Installation



631054


50 x 50 cm



Paved SAGE GREEN 631054008 Tile 50 x 50 cm Vertical Ashlar Installation



Paved TEAK 631054007 Tile 50 x 50 cm Quarter Turn Installation
LVT iD ELEGANCE 55 SOFT OAK BROWN 256030026 Plank 121.9 x 22.9 cm
Ashlar Installation



NICKEL
001



SIERRA GREY
002



CARBON
003



FLAKE GREY
004



SMOKY
005




CLAY
006



TEAK
007



SAGE GREEN
008




AMBER
009

Construction: Patterned Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 39.4 rows/10 cm
Stitches per length: 45.0 stitches/10 cm
Total Pile Weight: 627.2 g/m²
Pile Height Average: 4.5 mm
Density Factor: 232.0 kg/m³
Total Product Weight: 3,777 g/m² ± 5%



QUARTER
TURN



VERTICAL
ASHLAR



Slant is part of the Supergraphics Series, along with Shift (p. 132) and Shuffle (p. 166). It includes 20 colours, inspired by the architectural movement in 1960s. Mix and match within the three collections to create unique geometric pattern with bold colours.





630310

50 x 50 cm




Construction: Patterned Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 47.2 rows/10 cm
Stitches per length: 34 stitches/10 cm
Total Pile Weight: 440.76 g/m²
Pile Height Average: 2.8 mm
Density Factor: 236.8 kg/m³
Total Product Weight: 3641 g/m² ± 5%



Startle is a big scale geometric pattern with clean classic styling. Its subtle applications of geometric structures combined with tonal shades of colour contrast to create a visual textural ground. It is part of Jaunt series with Leap (p. 160) and Trip (p. 170).

630240
50 x 50 cm

630246
66.67 x 66.67 cm



PIGEON
001

DUST
002

MOONLESS
003

CHESTNUT
004

PALE GOLD
005

MUSTANG
006


LODEN
007

MARINA
008

ENSIGN BLUE
009

SPICE
010

Construction: Patterned Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 47.2 rows/10 cm
Stitches per length: 51 stitches/10 cm
Total Pile Weight: 423.81 g/m²
Pile Height Average: 3.5 mm
Density Factor: 201.1 kg/m³
Total Product Weight: 3624 g/m² ± 5%



1 Degree 144 / Graduation Series / 82 / 144 / 146 / 148 / 172 /

Access 150 / Visible Lights Series / 64 / 150 /

Andante 152 / Rhythms Series / 116 / 152 / 168 /

Andante Pro 154

Change Up 156

Elegance 158 / Root Series / 158 / 164 /

Leap 160 / Jaunt Series / 136 / 160 / 170 /

Patan 162 / Plaids Series / 120 / 126 / 162 /

Sense 164 / Root Series / 158 / 164 /

Shuffle 166 / Supergraphios Series / 132 / 134 / 166 /

Tempo 168 / Rhythms Series / 116 / 152 / 168 /

Trip 170 / Jaunt Series / 136 / 160 / 170 /

LI NE AR

These carpet collections are designed with movement in mind. Their subtle play of lines enable to guide the user in a direction. Taking influence from architecture to open up a room's interior, design details include elongated lines and subtle grids.

This achieves an impression of enhanced surface area – ideal for any office or open plan space.



Part of the Visible Light series (Scattering p.64), Access shows the aesthetics and the linearity of sun light, with bright accent colours immersing in and out of the carpet. Access pattern comes in a pair of planks, one with accent and one without. You can customize the colour of the accent line with a solid colour from Wildflower II to create unique carpet combinations!

Access OPALITE 630831009 Plank 25 x 100 cm Herringbone Installation

Access QUARTZ 630831001 Plank 25 x 100 cm Ashlar Installation / Wildflower II COOL MINT 630132029 Tile 50 x 50 cm Monolithic Installation




630831


25 x 100 cm




Quick ship




QUARTZ
001




MAGNETITE
002



MOONSTONE
003



BERYL
004




FELDSPAR
005



CINNABAR
006



BROOKITE
007




OBSIDIAN
008



OPALITE
009



CALCITE
010



Construction: Patterned Loop

Fiber system: 100% Nylon

Dye Method: Solution Dyed

Gauge: 50.4 rows/10 cm

Stitches per length: 35.5 stitches/10 cm

Total Pile Weight: 644.19 g/m²

Pile Height Average: 3.5 mm

Density Factor: 305.66 kg/m³

Total Product Weight: 3844 g/m² ± 5%



HERRING
BONE



ASHLAR



ECONYL®
REGENERATED NYLON





Classic and mass appealing, Andante’s linear structure with accent colour contrast enables to create a vivid, visual textural ground, imparting a simple, classic beauty. Part of Rhythms series (Lento p. 116, Tempo p. 168), Andante brings relevant styling to a price point where style is often overlooked.




630242

50 x 50 cm



Construction: Patterned Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 50.4 rows/10 cm
Stitches per length: 35.5 stitches/10 cm
Total Pile Weight: 440.76 g/m²
Pile Height Average: 2.8 mm
Density Factor: 253.45 kg/m³
Total Product Weight: 3641 g/m² ± 5%



Andante Pro is a new version of Andante with a slight gradation effect added in the most trendy colours. The gradation effect makes the movement of the design more dynamic, energetic and modern. Fell free to tailor the accent colour line by selecting from Wildflower II collection (page 104.) for minimum order of 60 sqm only!

Andante Pro FRESCO 630928003 / LEGATO 630928002 / LARGO 630928004 Tile 50 x 50 cm Horizontal Ashlar Installation



Andante Pro FRESCO 630928003 Tile 50 x 50 cm / iD Essential 30 SOFT OAK BEIGE 3977009 Plank 22.9 x 121.9 cm Horizontal Ashlar Installation




630928

50 x 50 cm



Construction: Patterned Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 50.4 rows/10 cm
Stitches per length: 36 stitches/10 cm
Total Pile Weight: 406.86 g/m²
Pile Height Average: 3 mm
Density Factor: 225.77 kg/m³
Total Product Weight: 3607 g/m² ± 5%




Change Up

Change Up

Change Up is impacting dramatic elegance and freshness to interior spaces. Its deliberate multi-colour stripe allows designers to tie-in colour accents from seating, walls and accessories, while its textural ground acts as a canvas, pulling the interior design and furnishings together. Change Up’s design eliminates pattern fatigue and creates a floor as unique as the space that is being installed.

630480
50 x 50 cm

630465
66.67 x 66.67 cm



Change Up PEACOCK 63048009 Tile 50 x 50 cm Quarter Turn Installation

VENUS
001

STUDIO
002

GLAMOUR
003

CARBON SKY
004

HORIZON
005

GOLDEN SHORE
006

FRONTDROP
007

SUN HEAT
008

PEACOCK
009

Construction: Textured Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 39.4 rows/10 cm
Stitches per length: 41.5 stitches/10 cm
Total Pile Weight: 508.57 g/m²
Pile Height Average: 3.5 mm
Density Factor: 241.31 kg/m³
Total Product Weight: 3709 g/m² ± 5%

MONOLITHIC

QUARTER
TURN

HORIZONTAL
ASHLAR

RANDOM




Change Up CARBON SKY 630480004 Tile 50 x 50 cm Horizontal Ashlar Installation

Elegance is part of Root series with Sense collection (p. 164). These stylish patterned loop modular carpet tiles and planks, feature a subtle linear texture across the pattern, with or without accent colour. With its coordinated colourways, Elegance provides design flexibility and can be mixed and matched to create an elegant ambiance.



630783



50 x 50 cm




Elegance LATTICE 630783006



Elegance LATTICE 630783006 Tile 50 x 50 cm Monolithic Installation



MIST GREY
001



STEAMY
002



RATTAN
003



STRAW
004



FILIGREE
005



LATTICE
006



REED
007



TERRAIN
008



JEWEL
009



TANGO
010



STEAMY+A
011



JEWEL+A
012


Construction: Patterned Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 47.2 rows/10 cm
Stitches per length: 41 stitches/10 cm
Total Pile Weight: 474.66 g/m²
Pile Height Average: 3.7 mm
Density Factor: 212.86 kg/m³
Total Product Weight: 3675 g/m² ± 5%



MONOLITHIC



QUARTER
TURN



HORIZONTAL
ASHLAR



RANDOM



Leap carpet tile is part of Jaunt Series (Startle p. 136 and Trip p. 170). It is a classic, clean, timeless style with aesthetics. Great for corridors and conference rooms application, Leap is strong enough to stand on its own in a somewhat larger open interior.

630257
50 x 50 cm

630261
66.67 x 66.67 cm



Leap PIGEON 630261001 / DUST 630261002 / MOONLESS 630261003
Tile 66.67 x 66.67 cm Vertical Ashlar Installation

PIGEON
001

DUST
002

MOONLESS
003

CHESTNUT
004

PALE GOLD
005


MUSTANG
006

LODEN
007


MARINA
008

ENSIGN BLUE
009

SPICE
010



Construction: Patterned Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 47.2 rows/10 cm
Stitches per length: 51 stitches/10 cm
Total Pile Weight: 423.81 g/m²
Pile Height Average: 3.5 mm
Density Factor: 201.1 kg/m³
Total Product Weight: 3624 g/m² ± 5%



Part of the Plaids Series (Madras p. 120 and Patola p. 126), Patan collection mirrors a plaid in its most basic form. The horizontal lines have been removed to reveal a randomized gradation of vertical bands. The result is an elegant linear carpet tile that enables designers to reach a new level of artistic expression.



Patan GINGHAM 630368010 Tile 50 x 50 cm Quarter Turn Installation

630368

50 x 50 cm

630371

66.67 x 66.67 cm



Patan TWILL 630368009 Tile 50 x 50 cm Quarter Turn Installation

Construction: Patterned Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 50.4 rows/10 cm
Stitches per length: 39.5 stitches/10 cm
Total Pile Weight: 339.05 g/m²
Pile Height Average: 3.2 mm
Density Factor: 176.19 kg/m³
Total Product Weight: 3539 g/m² ± 5%



Patan WARP 630368003 Tile 50 x 50 cm Quarter Turn Installation

 WOVENS 001	 CRISSCROSS 002	 WARP 003	 WEFT 004
 WOOL 005	 TATTERSALL 006	 FLANNEL 007	 COLORFAST 008
 Twill 009	 GINGHAM 010	 FABRIC 011	 CHECKER 012
 PATCHWORK 013	 TARTAN 014	 CLOTH 015	

MIRROR

QUARTER
TURN

HORIZONTAL
ASHLAR

RANDOM













Sense collection brings a unique energetic flavour through the details to the extreme. The soft touch and warm colours make you feel the lines are dancing on the ground in a heavenly rhythm, extending infinitely in the space. Sense is part of Root series and can be coordinated with Elegance collection (p. 158).

		
630773	630774	630777
50 x 50 cm	66.67 x 66.67 cm	25 x 100 cm







Sense ECLIPSE 630773012 Tile 50 x 50 cm Monolithic Installation

 TWILL 001	 SUNSET 002	 ESCAPE 003	 BLISS 004
 HARMORIC 005	 STORM 006	 MIDNIGHT NAVY 007	 DEPTH 008
 STEEL GREY 009	 BATTLESHIP 010	 SMOKE GREY 011	 ECLIPSE 012



Sense BLISS 630773004

Construction: Patterned Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 47.2 rows/10 cm
Stitches per length: 38 stitches/10 cm
Total Pile Weight: 610.28 g/m²
Pile Height Average: 4 mm
Density Factor: 254.52 kg/m³
Total Product Weight: 3810 g/m² ± 5%

			
MONOLITHIC	QUARTER TURN	HORIZONTAL ASHLAR	RANDOM



Inspired by the retro design trend of the 1960s, when bold colours were applied over walls and floors in geometric decoration, Shuffle collection shows large scale graphics in bright multicolours. Shuffle gives designers a diverse tool kit to work together with Supergrahics series' mix of patterns and materials (Shift p. 132, Slant p. 134).




630329


50 x 50 cm



Shuffle BANNER 630329012 Tile 50 x 50 cm
Monolithic Installation



Construction: Patterned Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 47.2 rows/10 cm
Stitches per length: 37 stitches/10 cm
Total Pile Weight: 423.81 g/m²
Pile Height Average: 2.8 mm
Density Factor: 236.8 kg/m³
Total Product Weight: 3624 g/m² ± 5%







Part of Rhythms series (Lento p. 116, Andante p. 152), Tempo collection mixes between darker & lighter lines. Its user friendly neutral colours effectively hide dirt, stains, and foot traffic over time - making it an ideal solution for education or high traffic commercial areas.



630260

50 x 50 cm



Construction: Patterned Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 47.2 rows/10 cm
Stitches per length: 38 stitches/10 cm
Total Pile Weight: 457.71 g/m²
Pile Height Average: 2.8 mm
Density Factor: 259 kg/m³
Total Product Weight: 3658 g/m² ± 5%



MONOLITHIC



QUARTER
TURN



HORIZONTAL
ASHLAR








RANDOM


Trip collection provides a beautiful minimalistic design, nearly solid visual when installed monolithically. When quarter-turned, Trip imparts a classic and timeless sisal-like plain weave aesthetic. Trip is part of Jaunt series (Startle p. 136, Leap p. 160).



Trip PIGEON 630271001 / DUST 630271002 / MOONLESS 630271003 Tile 50 x 50 cm Vertical Ashlar Installation



Construction: Patterned Loop
Fiber system: 100% Nylon
Dye Method: Solution Dyed
Gauge: 47.2 rows/10 cm
Stitches per length: 51 stitches/10 cm
Total Pile Weight: 423.81 g/m²
Pile Height Average: 3.5 mm
Density Factor: 201.1 kg/m³
Total Product Weight: 3624 g/m² ± 5%



Tarkett
TAPE™

No glue
No downtime
Maximum flexibility

TarkettTAPE™ to be used with Tandus carpet. TarkettTAPE changes the standard in carpet tile installation by offering maximum flexibility and adhesive qualities without using any glue on the subfloor.


Maximum flexibility

Tandus carpet tiles installed with TarkettTAPE can easily be removed. Because the tape sticks to the tile, and not to the floor, you can change your carpet tiles when needed or return them to us for recycling at the end of use. TarkettTAPE leaves no traces on the subfloor, the tiles all stick solidly, creating a 'floating' floor that stays in place as long as needed. TarkettTAPE sticks straight from the roll, whereby installers find it quick, clean and easy to use. It has very low VOC-emissions, no odour, and no drying time. With these specifications, TarkettTAPE contributes perfectly to your sustainability goals.

Fast and Easy Installation

Each tape unit measures ca. 8 x 10 cm with notched perforations between each unit. There are 324 units per roll with a coverage area of ca. 80 m²/roll installed with 50 x 50 cm tiles. Packaged from 1 to 16 rolls per box with a minimum order quantity of one roll. The tape unit is centered at the corner of the tile as to engage the inner section of the two adjacent and one opposing tile corners.

TarkettTAPE works perfectly with all our Tandus backings.



Carpet installation

Introduction

You can rest reassured that on leaving the factory, Tandus carpet tiles fully meet all the specifications described on the product documentation. But Tandus Carpet tiles will only come to life once installed. Therefore, it is of great importance that the instructions below are followed very carefully. Although Tandus guarantees the accuracy of their advice, it cannot be held responsible or warrant carpet tiles if these floor preparation and installation procedures are not followed. If you have any questions concerning the proper installation and use of Tandus modular carpet, please contact your sales representative.

All Tandus modular carpet should be inspected before commencing fitting. Make sure that the quality, colour, size, pattern, etc. correspond to your order prior to installation. Do not install Tandus modular carpet if any problems are noted.

Preparing the subfloor

These instructions cannot cover all subfloor conditions. It is the responsibility of the installation contractor to make certain the subfloor is properly prepared prior to starting the installation.

1 Room conditions

The area in which Tandus modular carpet is to be installed (including the subfloor) should be between **18°C–32°C** (65°F–90°F) for at least **72 hours** prior to, during and after the installation. All Tandus carpet tiles and installation materials should be stored at this temperature for at least 48 hours prior to installation.

Underfloor heating compatibility

Tandus modular carpet can be installed over surfaces that **never exceed 50°C** (122°F). In cold regions with heated floors, the heat may be turned off every weekend or every night. With underfloor heating system, do not install the tiles too tight and do not use a tool for hitting the tiles together.

2 Subfloor inspection

All subfloors should be leveled to assure good installation. Concrete subfloors should be flat within 1 mm per 1 meter (or 1/8" per 10 feet) and should be troweled smooth, if



necessary. Cracks, holes and depressions can be filled by using a good grade of cement, concrete or fortified patching material. Do not install the carpet over loose tile (VAT, VCT or others). The subfloor must be structurally sound and dry prior to installation.

Excessive subfloor moisture or high subfloor pH alkalinity can cause product failure, especially on concrete subfloor.

For all Tandus modular carpet, the maximum allowable amount of **Moisture Vapor Emission Rate** from the subfloor is **1.36 kg/24 hours/92.9 sqm** (or 3.0 lbs/24hours/1000 sq. feet); the acceptable **pH range is 7.0 to 9.0**; if performing In-Situ, the maximum allowable **Relative Humidity is 80%**. Please note that relative humidity above 65% will slow down primer and adhesive set or dry times: humidity of the room should **be less than 65% for 24 hours** prior to installation.



3 Subfloor cleaning

Clean the subfloor of all excess concrete spots, solid debris or paint spots using suitable scraping methods. Completely remove all wax, dirt, grease, paints or old adhesives (especially cutback or emulsion). Any curing chemical treatment used on subfloors must be chemically and physically compatible with our Tandus modular carpet and adhesive systems. Do not use solvents, any chemical adhesive removers, oil-based or silicone based sweeping compound to clean the subfloor. Sweep and vacuum the floor after patching and debris removal. Make sure all perimeter areas are clean. Smooth, nonporous floors should be damp mopped prior to product installation.



Linearity TAN 630942009 / SEASALT 630942008 Plank 25 x100 cm Ashlar Installation

Installation of Tandus modular carpet

1 Prepare your plan – this step is very important


Determine the lay direction of the carpet based on building design and installation efficiencies. Detailed installation instructions should be conveyed to installers to meet the designer’s intention.

Measure the length and width of the room. Locate the first centerline in the installation area by marking the center point of two opposing, parallel walls. Snap a white (not blue or red) chalk line between the two center marks. Snap a second, perpendicular chalk line at the mid-point of this line (use a 3-4-5 triangle method to make sure the second line is perpendicular to the first). Check the distance from each centerline to its parallel wall and determine how many tiles will be required (depending on the size of the carpet to install). Shift the line as needed (in a parallel direction) to balance the width of the border tiles (tiles against the wall). Border tiles, where possible, should not be less than half of a tile.

2 Apply the adhesive

Pressure Sensitive Adhesives approved by Tandus must be used in a full spread mode. Please check with Tarkett sales representative for approved adhesives. Do not use adhesive over raised panel flooring until all of the electrical work is completed.

Apply the adhesive with a short nap paint roller. Do not allow the wet adhesive to puddle, but allow the adhesive to set and dry prior to installation tiles (approximately 40 min). Adhesive is set when it dries clear and will not transfer to the hand when touched. Tiles should be installed immediately after the adhesive has dried. Never step in the adhesive when it is wet or dry. Any adhesive you get on the yarn will be difficult to remove and will likely collect dirt.



3 Install the carpet tiles

Directional arrows are printed on the back of all tiles. Determine in which direction the arrow should be placed in accordance with the designer’s intentions (quarter turn, monolithic, ashlar, etc.).

Start from the intersection point in the center of the floor and install the first line of tiles along the first centerline. Install the second line of tiles along the perpendicular centerline. Keep all the tiles exactly on the chalk lines. Fit the tiles snugly next to each other by sliding them into place. Do not force the tiles together, let them loosely lay.

Remember not to trap face yarn between or under tile edges.

Continue to install the tiles in a stair step or pyramid pattern starting from the intersection point. Check to make sure the tiles are properly aligned at the edges during installation. When applying additional adhesive to the floor, **do not roll wet adhesive onto the yarn of tiles that are installed.** If small variations in the tile sizes start to make the installation skewed, use the straight edge to cut a sliver of the backing off the tiles without cutting into the yarn to make them straighten back up.

When reaching the walls, place a damaged tile face down, in the dried adhesive, along the wall. Take another full tile and butt it against the wall allowing it to fall on top of the cut tile with the yarn face down on top of the cut tile – this will keep you from getting adhesive on the yarn of the tile you wish to install. Use a metal straight edge to line up the size of the tile with the closest tiles. Cut through the backing along the straight edge. Remove the cut tile and save it for the next cut. When you flip the tile back over, the machine cut edge will be against the installed carpet and the hand-cut edge will be against the wall. Provide transition strips on all exposed tile edges.

Carpet maintenance

Introduction

With a simple, systematic and cost-effective carpet maintenance plan you can protect your investment and reap the rewards for years to come. Tandus carpet tiles are made with industry-leading materials that help to mask soil and other debris that can make carpets look old and dirty. Proper maintenance can extend the life and appearance of your carpet, thus saving money. Tarkett aims to design solutions following the Cradle to Cradle® principles, including the maintenance of our flooring. Maintenance is an integral part of flooring and the C2C principles need to be integrated into the maintenance programme.

Tandus recommends a three-steps maintenance programme with daily maintenance, periodic maintenance and deep cleaning. The main part of the maintenance programme is covered by vacuum cleaning and spot removal by the use of water. The frequency of maintenance depends on colour, the intensity of use, area and grade of representation.

Preventive measures

The easiest way to clean carpet is to REDUCE the need to clean carpet! Prevention is always easier than fixing problems. One preventive measure to take is to install dirt barrier zones with scraping and absorbing effect to all entrances, with sufficient length and starting outside the building. Doing this is essential to keep the dirt outside which represent up to 90% of the soil load. All matting must be kept clean to make sure they do not become a source of soil: thoroughly vacuum them daily and check them weekly to ensure a clean mat at all times. Another measure is to use chair mats to prevent soil from being ground into the carpet fibers which leads to dirty, matted carpet. Another important preventive measure is selecting the right flooring, in colour, pattern and structure for all parts of your building, taking into account the traffic and use of each area.

Detergents and cleaning aids

A wide range of detergents and cleaning aids are available for carpet cleaning and maintenance. In addition to equipment, proper cleaning solutions are important. Choosing the right cleaning solution is essential: it must be safe, non-toxic, not contain optical brighteners, it should have a pH between 4 and 9 and should not leave sticky or oily residue when dry. To test it: prepare the solution as instructed and pour into a shallow pan. Place in direct sunlight and allow to evaporate. If a sticky or oily residue is left, DO NOT use on carpets.

Note: Optical brighteners should NEVER be used on your carpeting. The use of optical brighteners may void your warranty.

For the best results always follow the instructions on the container. It is also important to first test cleaning agents on a concealed part of the floor for colourfastness.

Please contact your Tarkett sales representative to get a list of approved cleaning solutions and deodorizers.

Tandus maintenance programme in 3 steps

STEP 1 – Daily maintenance & stain removal

Routine/daily maintenance is a combination of vacuum cleaning and spot removal, carried out as often as needed for the different zones within your building. Effective vacuum cleaning is an essential part of a proper maintenance programme to keep soiling to a minimum. Dirt barrier zones and heavy traffic areas, such as lobbies and hallways, should be intensively vacuumed on a daily basis. Other areas, such as offices and board rooms, can be vacuumed daily based on visual inspection with a thorough overall vacuuming at least once a week. For best results Tarkett recommends heavy duty upright vacuum cleaners with a brushing action and efficient, clean filters. Additional to vacuuming, regular spot removal should take place to maintain a good appearance. Ideally **spills should be removed immediately** to prevent them from becoming permanent stains.

The majority of water based stains can be removed with a clean white (cotton) cloth and lukewarm water, after drying possibly treated afterwards with an appropriate carpet cleaning agent. Excessive moisture should be absorbed first (from the outside in) and rubbing and excessive use of water should be avoided.

Dried or aged stains can first be treated with a blunt object (e.g. a spoon) to remove dried residue by vacuuming. In all cases repeat treatments where required after drying until the stains are removed (always avoiding excessive rubbing).

Other (oil based) stains and chewing gum should be treated with a suitable carpet cleaning agent.

Note: Never apply a solvent based stains removal product directly onto the carpet surface. This can cause dissolution of carpet components. Always apply on a white cloth!

STEP 2 – Periodic maintenance

Periodic Maintenance takes place if the daily maintenance no longer gives the desired performing and preferably should be carried out by a specialist. Generally, this periodic maintenance is carried out **1 to 2 times per year**, depending on the specific needs of your building and the different areas within. From the many cleaning methods available, Tandus recommends two options: crystal dry cleaning and dry compound cleaning. Be assured that the product used does not cause re-soiling. Always vacuum before carrying out either of these methods.

The crystal dry cleaning (Encapsulation) method is a low moisture procedure that involves spraying an encapsulation liquid solution on the carpet, gently brushing these into the carpet piles and, after a drying period of approximately one hour, vacuuming thoroughly. The crystals effectively encapsulate any soil which can then be removed by vacuum cleaning. The main benefits of this method include ongoing access to the room or area that is being treated, a reduced treatment time and colourless residue (if any). For the best results it is very important to use the proper type of crystals.

The method of dry compound cleaning is similar to crystal dry cleaning with a few differences: the 'dry' powder (it can feel moist) is spread onto the carpet by hand and mechanically brushed in. Extra attention needs to be paid to the full removal of any residue (powder and soil) as it is not colourless. With this method, you can use the area during the maintenance procedure also.

When using either method, make sure to first test them on a concealed part of the floor for the colourfastness of the carpet.

STEP 3 – Deep cleaning

Proper routine maintenance on a daily/weekly basis, supported by periodic maintenance, keeps the aesthetics and performance of your carpet flooring at a satisfactory level for a long period. Over time your carpet may accumulate ingrained soil deeply embedded in the pile and specialist restorative maintenance will need to be carried out. This should be taken place on advice and in consultation with a specialist, in accordance to the maintenance plan. Tandus recommends the method of **hot water extraction** to deep clean your carpet. This must always be preceded by intensive vacuum cleaning and possibly also spot removal or pre-spraying to loosen stain residues.

Hot water extraction is a wet deep cleaning method using a pre-spray and a special machine. After vacuuming the carpet surface, an appropriate cleaning agent must be sprayed at the soiled carpet. After that the machine injects clean warm water deep into the carpet to take up the soil and removes the resulting dirty mix of water and used cleaning agent with a built-in vacuum system and rinse the carpet surface.

This combination is the most effective method. It allows more time for chemical action and neutralizing the cleaning chemical in the rinse. It is very important not to use excessive amount of water to avoid over-wetting the carpet. It is therefore recommended to get a specialist (carpet) cleaning company carry out this type of maintenance. Furthermore it is very important to make sure the floor is given enough time to dry before it is used again (generally 1-2 days).



15 years warranty

Tandus modular carpet with nylon face fiber are covered by a limited warranty issued by Tandus Asia against:

- Excessive surface wear
- Edge ravel
- Zippering
- Resiliency loss of backing
- Delamination of the secondary backing from the primary backing containing the face fiber


















































For a non-prorated period of fifteen (15) years from the date of manufacturer's invoice only when properly installed on correctly prepared floors using Tandus Asia approved procedures and adhesives and maintained in accordance with Tandus Asia approved maintenance and cleaning procedures.







Tandus modular carpet also carry a limited warranty against excessive static electricity during this fifteen (15) years period only when installed and maintained in accordance with Tandus Asia approved procedures. Excessive static electricity means more than 3.0 kilovolts at a relative humidity of 20% and a room temperature of 21°C.






























































The details of the Tandus modular carpet warranty can be provided upon request.



Index
Collections
and Series

	Alley / Element Series		40
	Mineral / Element Series		62
	Tweed / Element Series		74
	Domino / Modular Carpet		144
	Layer / Modular Carpet		146
	Handcraft		148
	Inception		124
	Intrinsic		138
	Granite / Geologic Structure Series	 	54
	Grid / Geologic Structure Series	 	58
	Degrees Transition / Graduation Series		82
	Leap / Jaunt Series		160
	Startle / Jaunt Series		136
	Trip / Jaunt Series		170
	Focus / Mosaic Series		112
	Illusion / Mosaic Series		114
	Arbor / Origin Series		42
	Sprout / Origin Series	 	68
	Madras / Plaids Series		120
	Patan / Plaids Series		162
	Patola / Plaids Series		126
	Andante / Rhythms Series		152
	Lento / Rhythms Series		116

	ORGANIC
	SOLID & TEXTURE
	GEOMETRIC
	LINEAR
	50 x 50 cm
	25 x 100 cm

	Tempo / Rhythms Series		168
	Elegance / Root Series		158
	Sense / Root Series	 	164
	Shuffle / Supergraphics Series		166
	Slant / Supergraphics Series		134
	Access / Visible Light Series		150
	Scattering / Visible Light Series		64
	Islands Plus / Zen Plus Series		88
	Sand Plus / Zen Plus Series	 	90
	Stream Plus / Zen Plus Series	 	94
	Andante Pro		154
	Assemblage		110
	Bold	 	46
	Change Up		156
	City Lights		48
	Crochet		78
	Globe	 	52
	Linearity		118
	Memory II		122
	Paved		128
	Sculpted Flannel II		92
	Sketch	 	66
	Terrace		72
	Transcend	 	96
	Tricot	 	98
	Wildflower II	 	104

Disclaimer

The information presented in this product guide does not form part of any quotation or contract. Descriptions, colours and specifications mentioned in this product guide are subject to change during the year, without notice. For the latest versions of the technical specifications, please contact your sales representative.

Tandus is not responsible for typographical or photographic errors. Photos may not accurately depict colour. Please order samples to see the product colour.

Tandus modular carpet should be installed in full accordance with our installation instructions and recognized trade standards. Tandus modular carpet should only be used as floor-coverings. An effective, regular cleaning and maintenance programme is vital for retaining a high appearance level.

All rights reserved. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner. No liability will be accepted by Tandus or the publisher for any consequences of its use. Publication thereof does not convey nor imply any license under patent, or other industrial or intellectual property rights.

© Tarkett 2022





Tarkett Asia Sales Offices:

Tarkett Hong Kong Limited

Suite 601B, Empire Centre
68 Mody Rad, Tsim Sha Tsui
Kowloon, Hong Kong
Hong Kong SAR
T +852 2511 8716
saleshk@tarkett.com

Tarkett Flooring Singapore Pte. Ltd.

T +65 6346 1585
saleshk@tarkett.com

Tarkett Flooring India Pvt. Ltd. – Bangalore

T +91 80 4130 3793
saleshk@tarkett.com

Tarkett Flooring India Pvt. Ltd. – New Dehli

T +91 11 4352 4073
saleshk@tarkett.com

Tarkett Flooring India Pvt. Ltd. – Mumbai

T +91 22 2648 8750
saleshk@tarkett.com

