

iD Elegance 55 & 55 PLUS

A great variety
of elegant
designs for
commercial
areas



BRING THE ELEGANCE TO YOUR PROJECT

With 50 different designs and a 0.55mm wear layer, iD Elegance 55 is the perfect solution for classy high traffic areas! It includes a wide range of realistic woods to bring authenticity and a sense of home-feeling to workplace areas. Cement and slate designs are a great solutions for modern and industrial interiors.



GREAT VARIETY OF DESIGNS AND FORMAT

- 50 colour options, 9 different surface embossing
- 4 plank and tile formats that you can combine together
- Infinite installation possibilities: ashlar, herringbone, monolithic...



GREAT RESISTANCE AND EASY CLEANING

- 0,55 mm Wear Layer suitable for high traffic commercial areas
- Hygienic surface treated with the Tarkett unique TopClean XP coating that strengthens it, extends the life-cycle and simplifies cleaning and maintenance.



A SUSTAINABLE SOLUTION

- Total VOC emissions are at least 10 times lower than Europe's strictest standards.
- Floorscore certified
- Enable to win credits in LEED & WELL green buildings
- Uses a phthalate-free technology, based on alternative plasticizers that can be used for sensitive applications such as the production of toys, food packaging and medical devices.
- 100% recyclable.



DESIGN SOPHISTICATED INTERIORS

iD Elegance 55 offers a select range of elegant wood and stone designs that will immediately add warmth and style to your commercial projects.



REPLICATING RAW MATERIALS

Our designs are printed on high quality decorative layer that recreates the look and feel of wood, stone and cement so well that it could be mistaken for the actual material.



REPRODUCING THE TACTILE

14 iD Elegance PLUS designs benefit from our Plus Effect technology. Each plank receives an embossing in register (EIR) treatment to add lifelike traces and patterns that subtly catch the light.



RECREATING THE REALISM

Thanks to a 100% matte finish, our iD Elegance 55 resembles to the original material.




EASY AND CREATIVE INSTALLATION

Mix & Match designs, planks and tiles formats to compose unique and creative layout.

HERRINGBONE	MONOLITHIC	ASHLAR


iD Elegance 55 & 55^{PLUS}

Cerused Oak




Charm Oak


Aspen Oak




Country Oak




Primary Pine



Washed Pine



Smoked Oak



*Cerused oak decors offer a large variety of patterns so colours may vary from one plank to the other within the same box.

iD Elegance 55 & 55^{PLUS}

22.9 x 121.9 cm

Soft Oak

White

256030030

Light Beige

256030024

Beige

256030025

Light Brown

256030027

Light Grey

256030028

22.9 x 121.9 cm

Natural

256030029

Brown

256030026

22.9 x 121.9 cm

Beech

256030038

Maple

Natural

256030037

Walnut

Light Brown

256030036

Teak

Natural

256030039

61 x 30.5 cm

Original Slate

Grey

256031004

Black

256031003

Anthracite

256031005

61 x 30.5 cm

Stone

Graphite

256031014

Brown

256031007

Black

256031006

61 x 30.5 cm

Sandstone

Medium Dark

256031011

Grey

256031010

Grey

256031008

61 x 30.5 cm


Venezia

Beige

256031001

Grey

256031002




This soft oak pattern is fulfilling nearly every demand. A coordinated range of 5 colours from light to dark, allows mixing and matching within the range. By combining those colours you are able to create unique floor plans with a sophisticated look and feel.



Rough Concrete is neutral but exiting at the same time. The embossing is highlighting the colour coordinated design and delivers a cool and contemporary atmosphere.

50 modern and elegant wood, stone and cement designs to mix with Desso and Tandus carpet tiles or rugs.


A FULL SOLUTION FOR THE BEST FINISH



PVC DECORATIVE SKIRTING

Compact skirting with decorative film and PUR surface treatment to perfectly match selected designs

📦 2.02 lm in packs x 10



EASY KIT 3D STUDS

- Accessibility accessory
- Ready-to-use podotactile studs to be simply on top of the existing floorcovering

● Grey 1440 551


● Black 1440 552

📦 5mm x 22.5mm for a 33 studs kit (8 kits per pack)

SELF-ADHESIVE TRANSITION PROFILE

Ref.: 1470 008 - Silver

Packaging: 2.7lm skirting in packs of 10




MT40SA

(mm)

SELF-ADHESIVE STAIRNOSE

Ref.: 1480 008 - Silver

Packaging: 2.7lm skirting in packs of 10



MSN24SA

(mm)

TARKOMFORT PREMIUM

Provides high impact sound reduction of upto 19dB and in room noise reduction (72dB)

● Black 24992 030

📦 1 roll of 1m x 15m

TARKOMFORT PRO

- Powerful acoustic installation, reducing both impact sound and in room noise (13dB)
- Quick and easy to install
- Woven anti slip surface to grip

● Brown 2499 2020

Technical Datasheet

Classification	Standards	iD Elegance 55
Classification	EN ISO 10582:2010	Heterogeneous PVC Compact floor covering
	EN ISO 10874	Domestic: 23 Commercial: 33 Industrial: 42
Wear Layer binder content	EN ISO 10582	Type I
Technical characteristics		
Total thickness	EN ISO 24346	2,5 mm
Wear layer thickness	EN ISO 24340	0.55 mm
Total weight	EN ISO 23997	4360 g/m²
Bevelled edges	-	No
Surface treatment (PUR)	-	Yes – TopClean XP
Form of delivery	EN ISO 24342	
	Planks	22.86 x 121.92 cm 10 planks / box (2.79m2), 72 boxes/pallet (200.88 m2)
	Tiles	30.48 x 60.96 cm 14 tiles / box (2.9m2), 64 boxes/pallet (185.6 m2)
On request dimensions	Planks	15.24 x 91.44 cm – for non EIR designs only
	Tiles	60.96 x 60.96 cm (MOQ & Price surcharge apply for this special format)
Technical performance		
Dimensional stability(%)	EN ISO 23999	≤ 0.25 %
Curl resultant to heat 6h at 80°C (mm)	EN ISO 23999	≤ 2.00 mm
Reaction to fire	EN 13501-1	Bfl-s1 glued over A2fl or A1fl substrate (concrete)
Residual Indentation	EN ISO 24343-1 (EN 433)	Required value: ≤ 0.10 mm Average measured value: 0.03 mm
Furniture leg	EN 424	No damage
Castor chair	ISO 4918 (EN 425)	No damage
Thermal resistance	EN ISO 10456	0.03 m2. K/W
Underfloor heating	EN ISO 10456	Suitable – max. 27°C
Impact sound reduction	EN ISO 140-8 EN ISO 717/2	ΔLw = 2dB
Light fastness	EN ISO 105-B02	≥ 6
Resistance to chemicals	EN ISO 26987 (EN 423)	Good resistance
Slip resistance	DIN 51130 EN 13893	R9
Electrical properties	EN 1815 EN 1081	< 2 kV on concrete R1 > 1010 Ω
Colours	-	Wood: 30 - Ceramic: 11

The above information is subject to modification for the benefit of further improvement (10/2020).
For the latest information, please visit our website: www.Tarkett-asia.com
Tarkett's instructions regarding installation, cleaning and maintenance should be observed.



Product and Accesories details

DESIGN	COLOUR	22.86 x 121.92 cm	30.48 x 60.96 cm cm	EIR	CUSTOM SIZE ON REQUEST
CERUSED OAK	Beige	256030001		✓	-
	Brown	256030002		✓	-
	Light Brown	256030003		✓	-
COUNTRY OAK	Beige	256030004		✓	-
	Light Beige	256030005		✓	-
	Brown	256030006		✓	-
	Grey	256030007		✓	-
	Natural	256030008		✓	-
Charm Oak	Beige	256030009		✓	-
Washed Pine	Beige	256030010		✓	-
	Blue	256030011		✓	-
	Light Brown	256030012		✓	-
	Snow	256030013		✓	-
	White	256030014		✓	-
Smoked Oak	White	256030015			15.2 x 91.4 cm
	Black	256030016			15.2 x 91.4 cm
	Brown	256030017			15.2 x 91.4 cm
	Dark Grey	256030018			15.2 x 91.4 cm
	Light Grey	256030019			15.2 x 91.4 cm
	Natural	256030020			15.2 x 91.4 cm
Aspen Oak	Beige	256030021			15.2 x 91.4 cm
	Grey	256030022			15.2 x 91.4 cm
	Natural	256030023			15.2 x 91.4 cm
Soft Oak	Light Beige	256030024			15.2 x 91.4 cm
	Beige	256030025			15.2 x 91.4 cm
	Brown	256030026			15.2 x 91.4 cm
	Light Brown	256030027			15.2 x 91.4 cm
	Light Grey	256030028			15.2 x 91.4 cm
	Natural	256030029			15.2 x 91.4 cm
	White	256030030			15.2 x 91.4 cm
Primary Pine	Dark Brown	256030031			15.2 x 91.4 cm
	Dark Grey	256030032			15.2 x 91.4 cm
	Grege	256030033			15.2 x 91.4 cm
	Natural	256030034			15.2 x 91.4 cm
	White	256030035			15.2 x 91.4 cm
Walnut	Light Brown	256030036			15.2 x 91.4 cm
Maple	Natural	256030037			15.2 x 91.4 cm
Beech	Natural	256030038			15.2 x 91.4 cm
Teak	Natural	256030039			60.96 x 60.96 cm*
Venezia	Beige		256031001		60.96 x 60.96 cm*
	Grey		256031002		60.96 x 60.96 cm*
Original Slate	Black		256031003		60.96 x 60.96 cm*
	Grey		256031004		60.96 x 60.96 cm*
Slate	Anthracite		256031005		60.96 x 60.96 cm*
Sandstone	Black		256031006		60.96 x 60.96 cm*
	Brown		256031007		60.96 x 60.96 cm*
Scratched metal	Grey		256031008		60.96 x 60.96 cm*
Cement	Grey		256031010		60.96 x 60.96 cm*
	Medium Dark		256031011		60.96 x 60.96 cm*

* For the custom format 60.96 x 60.96 cm please note that a minimum order quantity of 3,000 sqm will apply as well as price surcharge. Please contact Tarkett to get a detailed quotation.

